

	Hits	Search Text	DBs
1	48	(("6167081") or ("5706313") or ("6025888") or ("6483885") or ("6141388") or ("6192503") or ("6374387") or ("6625236") or ("5704365") or ("6137904") or ("5991349") or ("6385751") or ("6421796") or ("5812558") or ("5977826") or ("4247952") or ("5995150") or ("6199037") or ("6370144") or ("6377916") or ("6389031") or ("6771929") or ("5263053") or ("5740203") or ("6104769") or ("5351274") or ("5680419") or ("6081566") or ("4797887") or ("5313495") or ("5406593") or ("5457704") or ("5497401") or ("5502736") or ("5537443") or ("5596607") or ("5689532") or ("5757855") or ("5892801") or ("6047024") or ("6088404") or ("6178209") or ("6222835") or ("6226332") or ("6222835") or ("6226332") or ("4536878") or ("5295159") or ("5420889") or ("5509021")).PN.	USPAT; USOCR
2	20	S1 and fideli\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	decod\$7 and (err\$7 near2 estima\$7) and (channel near2 fideli\$7 near2 metric) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	decod\$7 and (channel near2 fideli\$7 near2 metric) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
5	0	(channel near2 fideli\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	(channel\$7 near2 fideli\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	210	(channel\$7 near2 fideli\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	1	((channel\$7 near2 fideli\$7) near2 decod\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	((channel\$7 near2 quali\$7 near2 metric\$7) near2 decod\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	76	(channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	43	(channel\$7 near2 (fideli\$7 or quali\$7) near2 metric\$7) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	200	(constellat\$7 near2 distance) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	149	(constellat\$7 near2 distance) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	6	(constellat\$7 near2 distance near2 squar\$7) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	6	(constellat\$7 near2 distance near2 squar\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	7	(constellat\$7 near2 distanc\$7 near2 squar\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	36	((closest or nearest) near2 distanc\$7 near2 squar\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	16	((closest or nearest) near2 distanc\$7 near2 squar\$7) and decod\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	11	((closest or nearest) near2 distanc\$7 near2 squar\$7) and decod\$7 and constella\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	11	(US-6484284-\$ or US-6414988-\$ or US-6247158-\$ or US-6215827-\$ or US-6131049-\$ or US-6108374-\$ or US-5604730-\$ or US-5351274-\$ or US-5910959-\$).did. or (EP-944201-\$ or EP-899906-\$).did.	USPAT; EPO
21	3	S20 and (eras\$7 or delet\$7)	USPAT; EPO
22	2	(channel\$7 near2 (fideli\$7 or quali\$7) near2 metric\$7) and decod\$7 and (keep\$7 and (delet\$7 or eras\$7)) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	10	(channel\$7 near2 (fide\$7 or quali\$7) near2 metric\$7) and decod\$7 and ((keep\$7 or stor\$7 or sav\$7) and (delet\$7 or eras\$7)) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	14	(eras\$7 or delet\$7) near2 symb\$7 near2 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	14	(select\$7 or choos\$7 or choic\$7 or switch\$7) near2 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near2 (error\$7) near2 (threshold\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	0	2001/0016926.pn.	US-PGPUB
27	1	"20010016926".pn.	US-PGPUB
28	0	("2001/0016926").URPN.	USPAT
29	21	(select\$7 or choos\$7 or choic\$7 or switch\$7) near2 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near2 (error\$7 or nois\$7 or impair\$7) near2 (threshold\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	7	S29 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	384	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	363	S31 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	109	S32 and (keep\$7 or stor\$7) and (delet\$7 or eras\$7 or remov\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 (keep\$7 or stor\$7) near7 (delet\$7 or eras\$7 or remov\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 ((keep\$7 or stor\$7) and (delet\$7 or eras\$7 or remov\$7)) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	6	(select\$7 or choos\$7 or choic\$7 or switch\$7) near7 (symbol\$7 or data or bit\$7 or fram\$7 or packet\$7) near7 (error\$7 or nois\$7 or impair\$7) near7 (threshold\$7) near7 (delet\$7 or eras\$7 or remov\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	54	erasing near2 symbol and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
38	29	(select\$7 or choic\$7 or choos\$7) and (erasing near2 symbol) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	2	(select\$7 or choic\$7 or choos\$7) same (erasing near2 symbol) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	7	(select\$7 or choic\$7 or choos\$7) and ((erasing near2 symbol) same signal\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	"5406593".pn. and probabili\$7 with sir	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	0	"5406593".pn. and (probabili\$7 same sir)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	2	"5406593".pn. and (probabili\$7 same2 sir)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	0	(chang\$7 or modif\$7 or updat\$7) near2 branch near2 metric near2 low\$7 near2 probabili\$7 near2 degrad\$7 near2 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	0	(chang\$7 or modif\$7 or updat\$7) near7 branch near7 metric near7 low\$7 near7 probabili\$7 near7 degrad\$7 near7 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
46	0	(chang\$7 or modif\$7 or updat\$7) near7 branch near7 metric near7 degrad\$7 near7 channel\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	0	(chang\$7 or modif\$7 or updat\$7) near7 branch near7 metric near7 low\$7 near7 probabili\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	0	(chang\$7 or modif\$7 or updat\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 probabili\$7 and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	0	(chang\$7 or modif\$7 or updat\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	1	(chang\$7 or modif\$7 or updat\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	(chang\$7 or modif\$7 or updat\$7 or set\$7) near7 branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	4	branch\$7 near7 metric\$7 near7 low\$7 near7 (probabili\$7 or chanc\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
53	16	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	16	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	0	(decod\$7 near2 bas\$3 near2 accurac\$7 near2 error\$7 near2 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	0	(decod\$7 near7 bas\$3 near7 accurac\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	21	(decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	1	(decod\$7 near7 bas\$3 near7 accura\$7 near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
59	10	(decod\$7 near7 bas\$3 near7 (accura\$7 or reliab\$7) near7 error\$7 near7 estimat\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	1	((decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) with branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	1	((decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) same branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	6	((decod\$7 near7 accura\$7 near7 error\$7 near7 estimat\$7) and branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	3	((decod\$7 near7 accura\$7 near7 error\$7) same branch\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	2	"5942003".pn. or wo-0126318-\$.did. or ep-0991239-\$.did. or EP-0689312-\$.did. or W0-9750198-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	16	(375/224, 375/226, 375/227, 375/228, 375/316, 375/340, 375/341, 375/377, 375/346, 455/501, 455/500, 455/39, 455/67.13, 455/67.11, 455/63.1, 455/296, 455/130, 455/334, 714/699, 714/704).ccls. and (channel\$7 near2 quali\$7 near2 metric\$7) and @ad<"20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB